

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listing of claims in the application.

Listing of Claims

1. **(Currently Amended)** A composition comprising an antibody, or fragment thereof, formulated with DTPA and ~~an agent selected from the group consisting of DEF, mannitol, methionine, and histidine, in an amount effective to protect the antibody, or fragment thereof, against oxidation.~~
2. **(Withdrawn - Currently Amended)** The composition of claim 1, further comprising DEF an agent selected from the group consisting of mannitol, methionine, and histidine.
3. **(Original)** The composition of claim 1, further comprising EGTA.
4. **(Original)** The composition of claim 1, wherein the concentration of DTPA is from about 1 μ M to about 10 mM.
5. **(Withdrawn- Currently Amended)** The composition of claim 1 2, wherein the concentration of DEF is from about 1 μ M to about 5 mM.
6. **(Currently Amended)** The composition of claim 1 2, comprising mannitol at a concentration of about 0.01% to about 25%.
7. **(Withdrawn-Currently Amended)** The composition of claim 1 2, comprising methionine at a concentration of about 10 μ M to about 200 mM.
8. **(Withdrawn- Currently Amended)** The composition of claim 1 2, comprising histidine at a concentration of about 100 μ M to about 200 mM.
9. **(Original)** The composition of claim 1, further comprising an agent that inhibits protein aggregation.

10. **(Original)** The composition of claim 9, wherein the agent that inhibits protein aggregation is selected from the group consisting of polysorbate 80, polysorbate 20, glycerol, and a poloxamer polymer.
11. **(Original)** The composition of claim 10, wherein the agent that inhibits protein aggregation is polysorbate 80 or polysorbate 20 at a concentration of from about 0.001% to about 0.1%.
12. **(Original)** The composition of claim 1, further comprising a buffer that maintains the pH of the composition from about 5.0 to about 8.0.
13. **(Original)** The composition of claim 12, wherein the buffer is selected from the group consisting of phosphate, citrate, Tris, acetate, MES, succinic acid, PIPES, Bis-Tris, MOPS, ACES, BES, TES, HEPES, EPPS, ethylenediamine, phosphoric acid, and maleic acid.
14. **(Currently Amended)** The composition of claim 1, further comprising mannitol, a polysorbate, Tris, and sodium chloride.
15. **(Previously Presented)** The composition of claim 1, wherein the concentration of the antibody is from about 1 $\mu\text{g/mL}$ to about 500 mg/mL .
16. **(Canceled)**
17. **(Previously Presented)** The composition of claim 1, wherein the antibody is a monoclonal antibody, or a fragment thereof.
18. **(Previously Presented)** The composition of claim 1, wherein the antibody is a human antibody, or a fragment thereof.
19. **(Previously Presented)** The composition of claim 1, wherein the antibody or fragment thereof is conjugated to an agent, selected from the group consisting of a toxin, a polymer, an imaging agent and a drug.
20. **(Previously Presented)** The composition of claim 1, wherein the antibody or fragment thereof is microencapsulated.

21. **(Original)** The composition of claim 1, wherein the composition is a pharmaceutical composition.
22. **(Withdrawn)** A composition comprising an antibody or fragment thereof formulated with EGTA and DEF.
23. **(Currently Amended)** A method for preparing a stabilized protein composition, comprising formulating an antibody, or fragment thereof, together with DTPA and ~~an agent selected from the group consisting of DEF, mannitol, methionine, and histidine,~~ in an amount effective to protect the antibody, or fragment thereof, against oxidation.
24. **(Withdrawn-Currently Amended)** The method of claim 23, further comprising ~~DEF~~ an agent selected from the group consisting of mannitol, methionine, and histidine.
25. **(Original)** The method of claim 23, wherein the composition further comprises EGTA.
26. **(Currently Amended)** The method of claim ~~25~~ 23, wherein the concentration of DTPA or EGTA is from about 1 μ M to about 10 mM.
27. **(Withdrawn-Currently Amended)** The method of claim ~~23~~ 24, wherein the concentration of DEF is from about 1 μ M to about 5 mM DEF.
28. **(Currently Amended)** The method of claim ~~24~~ 23, wherein the agent ~~oxidation protective compound~~ is selected from the group consisting of about 0.01% to about 25% mannitol, about 10 μ M to about 200 mM histidine, and about 10 μ M to about 200 mM methionine.
29. **(Original)** The method of claim 23, further comprising adding an agent that inhibits protein aggregation to the composition.
30. **(Original)** The method of claim 23, further comprising adding a buffer that maintains the pH from about 5.0 to about 8.0 to the composition.
31. **(Original)** The method of claim 30, wherein the buffer is selected from the group consisting of about 5 mM to about 100 mM phosphate, citrate, Tris, acetate, MES,

succinic acid, PIPES, Bis-Tris, MOPS, ACES, BES, TES, HEPES, EPPS, ethylenediamine, phosphoric acid, and maleic acid.

32. **(Currently Amended)** The method of claim 23, wherein the composition further comprises mannitol, a polysorbate, Tris, and sodium chloride.
33. **(Previously Presented)** The method of claim 23, wherein the concentration of the antibody or fragment thereof is from about 1 $\mu\text{g/mL}$ to about 500 mg/mL .
34. **(Canceled)**
35. **(Previously Presented)** The method of claim 23, wherein the antibody is a human antibody, or a fragment thereof.
36. **(Previously Presented)** The method of claim 23, wherein the antibody is a monoclonal antibody, or a fragment thereof.
37. **(Previously Presented)** The method of claim 23, wherein the antibody or fragment thereof is conjugated to an agent selected from a toxin, a polymer, an imaging agent or a drug.
38. **(Previously Presented)** The method of claim 23, wherein the antibody or fragment thereof is microencapsulated.
39. **(Original)** The method of claim 23, wherein the composition is a pharmaceutical composition.
40. **(Canceled)**
41. **(Withdrawn)** A method for preparing a stabilized protein composition, comprising formulating an antibody or fragment thereof together with EGTA and DEF.
42. **(Withdrawn)** The method of claim 41, wherein the antibody or fragment thereof is protected against oxidation.

43. (New) The composition of claim 22, further comprising an agent selected from the group consisting of mannitol, methionine, and histidine.
44. (New) The method of claim 41, further comprising an agent selected from the group consisting of mannitol, methionine, and histidine.